



आरोग्यम् परमं सुखम्

**ALL INDIA INSTITUTE OF MEDICAL SCIENCES, DEOGHAR**

**अखिल भारतीय आयुर्विज्ञान संस्थान, देवघर**

INSTITUTE OF NATIONAL IMPORTANCE UNDER MINISTRY OF HEALTH AND FAMILY WELFARE

(स्वास्थ्य और परिवार कल्याण मंत्रालय के अंतर्गत राष्ट्रीय महत्व की संस्थान)

P.T.I., Daburgram, Jasidih, Deoghar, (Jharkhand) - 814142

पी.टी.आई., डाबरग्राम, जसीडीह, देवघर, (झारखंड) - ८१४१४२

**Invitation of quotation  
for**

**Instruments & Items  
for**

**General Medicine OPD  
at AIIMS Deoghar**

Reference No.: AIIMS/Deoghar/Gen. Medicine/ Instruments & Items/2021-22/09

Date of Issue: 12<sup>th</sup> January, 2021

Last Date of Submission: 20<sup>th</sup> January, 2021 at 04:00 PM.

All India Institute of Medical Sciences, Deoghar

P.T.I. campus, Daburgram, Jasidih, Deoghar: 814142, Jharkhand

Email: office.aiimsdeoghar@gmail.com

*Khushboo Raza*  
*12/01/2021*



## Invitation of quotation for Instruments and Items for General Medicine OPD at AIIMS Deoghar.

Sealed Quotations are invited on behalf AIIMS, Deoghar for Instruments and Items for Department of Medicine (**Annexure-I**) required for the Institute as per terms & conditions mentioned below. The filled quotations along with all the required document must reach in the office of the undersigned on or before **20.01.2020 at 04:00 PM**. The **Envelope containing the quotation** must be sealed and **super scribed as under:-**

**“QUOTATION FOR INSTRUMENTS AND ITEMS FOR GENERAL MEDICINE OPD AT AIIMS DEOGHAR REFERENCE NO.: AIIMS/Deoghar/Gen. Medicine OPD/ Instruments & Items/2021-22/09 DUE ON 20.01.2021 AT 04.00 PM”**

### 1. Terms & Conditions:

- a) The quotations received **after this deadline or unsealed shall not be entertained** under any circumstances whatsoever. In case of postal delay this Institute will not be responsible. The offer submitted by Fax / email shall not be considered and no correspondence will be entertained in this matter.
- b) Quotations must be in the **enclosed prescribed Performa (Annexure -2) on the letter head of the firm duly signed** by the Proprietor/ Partner/ Director or their authorized representative, In case of signing of quotation by the authorized representative letter of authorization must be attached with the quotation.
- c) The supplier should supply all the items.
- d) Rates must be quoted in Indian rupees.
- e) Rates must be inclusive of all charges (including Freight charges, Insurance, installation, taxes etc.).
- f) **No overwriting or cutting** is permitted in the rate. If found, the quotation shall be summarily rejected.
- g) The **rates quoted must be valid for 90 days minimum from the date of opening of the quotation** and silence of any tendered on this issue shall be treated as agreed with this condition.
- h) **Total cost/amount will be taken in consideration for L1.** Becoming L1 will not be the criteria for awarding of purchase order unless the rates are reasonable & justified.
- i) The firm / agency may satisfy the following conditions and **attach self-attested copy of the same with the quotation:**
  - The firm shall have valid GST / Other taxes and IT PAN.
  - The firm should not be black listed by any Government agency/Department.
  - Purchase order of any government institute.

*Khushid Raza*  
*12/01/2021*



- j) Quotations qualified by such vague and indefinite expressions such as "subject to prior confirmation", "subject to immediate acceptance" etc. will be treated as vague offers and it will be rejected accordingly. Any conditional quotation shall be rejected summarily.
- k) **Delivery Period** – within 20 days from Purchase order.
- l) **Liquidated Damage**: - If the supplier fails to deliver the material on or before the stipulated date, then a penalty at the rate of 0.5 % per week of the total order value shall be levied subject to maximum of 10% of the total order value.
- m) **Payment Terms**: Payment will be only after satisfactorily delivery / commissioning of material and after inspection by the AIIMS Deoghar.
- n) **Disputes**: -In the event of any dispute or disagreement arising between the contractors and any other department of AIIMS Deoghar with regards to the interpretation of "Terms & Conditions" of this inquiry, the same shall be referred to arbitrator appointed by The Executive Director, AIIMS, Deoghar, whose decision will be final and binding upon the contractor.
- o) AIIMS, Deoghar reserves the right to increase or decrease quantity. Decision of Quantity of items in the AIIMS, Deoghar will be final in this regard.
- p) AIIMS, Deoghar reserves the right to reject any quotation or part or the whole of inviting quotation process without assigning any reason. Decision of The Executive Director, AIIMS, Deoghar, will be final in this regard.
- q) No quotation will be accepted if relieved after due date. The envelope company quotation should be sealed with WAX/TAPE on both sides.

*Khemendra Rana*  
12/01/2021

Assistant Procurement Officer

Encl.: Annexure 1 (Specification)

AIIMS Deoghar

Annexure 2 (Format of price bid)



(Annexure - 1)

Reference no: AIIMS/Deoghar/Gen. Medicine OPD/ Instruments & Items/2021-22/09

Sl No	Name of Instruments	Specification	Qty.
1	Glucometer with Strip	<ul style="list-style-type: none"><li>Operating Relative humidity (%), 15 to 90</li><li>Availability of Glucostrip &amp; Lancet in open market all over India: Yes</li><li><b>Each glucometer should be bundled with 200 Number of sets of Glucostrip and lancet.</b></li><li>Availability of safety certifications - FDA (US)/CE (EU) -- BIS/ISO:13485 &amp; ISO: 15197, CE (EU)</li><li>Size of LCD display digits (mm): 85 to 90</li><li>Inbuilt software for accurate measurement, Yes</li><li>Auto-shut off of device when not in use, Yes</li><li>Needle fully shielded before and after use, Yes</li><li>Accuracy of device (%), 9</li><li>Calibre stick appropriate for 500 tests, Yes</li><li>Number of tests on one battery (No. Of Test results): 1000</li><li>Weight of device: 50 gram</li><li>Operating Temp, 0 to 55 Degree Celcius</li><li>Warranty of device (Years): 1</li><li>Reproducibility of device (%): 5</li><li>Facility for Data transfer through USB device, No</li><li>Operating Manual of device: Yes</li><li>Single use pressure activated autodisable Safety Lancet, Yes</li><li>Technology of device, Electrochemical</li><li>Size of blood sample (Micro litre), 1</li><li>Shelf life of gluco strips (Months) at the time of supply, 12 month</li><li>Penetration depth to suit capillary requirement, Adjustable</li><li>Retraction of needle into casing after sampling, Automatic</li><li>Protection from blood borne infections, Yes</li><li>Number of cells (nos), 2</li><li>Display of time &amp; amp; date, Yes</li><li>Reading time of device, 5 second</li><li>Display of sugar in mg/dl, Yes</li><li>Automatic code detection of Glucostrip, Yes</li><li>Life of Gluco-strips after opening of container, 6 month</li><li>Range/Linearity of device (mg/dl), 30 to 700(Min.)</li><li>Memory capacity of device (Test results), 50</li><li>Whole device should be cleanable and sterilizable with alcohol, Yes</li><li>Control solution/Calibre for 500 tests, Yes</li></ul>	5 pc
2	Queen Square Knee Hammer	<ul style="list-style-type: none"><li>Should have new, softer silicone bumper encloses the chrome-plated brass disc and is precisely weighted to induce myotatic responses.</li><li>The Handle should be Long, flexible nylon-plastic handle with tapered point is suited for eliciting plantar and abdominal</li></ul>	5 pc



		<p>responses</p> <ul style="list-style-type: none"> <li>• Grip A removable grip offers increased control</li> <li>• Tip Cover A bright red tip cover can be used for visual field tests</li> <li>• Warranty Lifetime</li> </ul>	
3.	<b>Tuning Fork 256 Hz</b>	<p><b>GENERAL FEATURES</b></p> <ul style="list-style-type: none"> <li>• Two pronged metal fork used as an acoustic resonator in medical purposes, Yes</li> <li>• Clinical Purpose, To determine certain types of hearing loss</li> <li>• Utility, Pediatrics and adults</li> <li>• TECHNICAL CHARACTERISTICS</li> <li>• Two Prongs viz two legs of U shaped body with same dimensions, Yes</li> <li>• Stem is the bar attached to the U bend at the bottom that forms the integral part of the body, Yes</li> <li>• The stem shall be strong and capable of being easily and firmly held by hand for use, Yes</li> <li>• Tuning fork shall have smooth surface, Yes</li> <li>• Vibrates sinusoidally to generate pure tone, Yes</li> <li>• Material (Non-corrosive and Non-magnetic), Electroplated Steel</li> <li>• Shape of the prong i e leg of U shaped body, Round</li> <li>• Prong (leg), (round shaped), dia (mm), 5</li> <li>• Length of Prongs (each), (mm), 90</li> <li>• Space between the prongs at the end (mm), 14</li> <li>• Stem length (Bar attached to the U shaped body) (mm), 30</li> <li>• Foot piece available, Yes</li> <li>• Overall Length of Tuning Fork (mm), 150</li> <li>• Weight of Tuning Fork (gm), 95</li> <li>• Frequency (Hz), 256</li> <li>• MARKING</li> <li>• Each tuning fork shall be marked at a suitable place with the following: a) Manufacturer's name and trade-mark, b) Frequency, and c) Serial number and code number or year of manufacture, Yes</li> <li>• <b>CERTIFICATIONS &amp; REPORTS</b></li> <li>• Vibrates sinusoidally to generate pure tone, Yes</li> <li>• Product certification, ISO</li> <li>• Submission of all the certifications and test reports to the buyer along with supplies, Yes</li> <li>• <b>WARRANTY</b></li> <li>• Warranty (yrs), 1</li> <li>• Replaceable guarantee in case of breakage, yes</li> </ul>	3 pc
4.	<b>Tuning Fork 512 Hz</b>	<p><b>TECHNICAL CHARACTERISTICS</b></p> <ul style="list-style-type: none"> <li>• Two Prongs with two legs of U shaped body with same dimensions, Yes</li> <li>• Stem is the bar attached to the U bend at the bottom that forms the integral part of the body, Yes</li> <li>• The stem shall be strong and capable of being easily and firmly held by hand for use, Yes</li> <li>• Tuning fork shall have smooth surface, Yes</li> <li>• Vibrates sinusoidally to generate pure tone, Yes</li> </ul>	3 pc

*Signature*  
12/01/2021



		<ul style="list-style-type: none"> <li>Material (Non-corrosive and Non-magnetic), Electroplated Steel</li> <li>Shape of the prong i e leg of U shaped body, Square</li> <li>Prong (leg), (round shaped), dia (mm), 4</li> <li>Length of Prongs (each), (mm), 100</li> <li>Space between the prongs at the end (mm), 14</li> <li>Stem length (Bar attached to the U shaped body) (mm), 60</li> <li>Foot piece available, Yes</li> <li>Overall Length of Tuning Fork (mm), 155</li> <li>Weight of Tuning Fork (gm), 95</li> <li>Frequency (Hz), 512</li> <li>Each tuning fork shall be marked at a suitable place with the following: a) Manufacturer's name and trade-mark, b) Frequency, and c) Serial number and code number or year of manufacture, Yes</li> <li>Vibrates sinusoidally to generate pure tone, Yes</li> </ul> <p><b>WARRANTY</b></p> <ul style="list-style-type: none"> <li>Warranty (yrs), 1</li> <li>Replaceable guarantee in case of breakage, yes</li> </ul>	
5.	<b>Tuning Fork 128 Hz</b>	<p><b>TECHNICAL CHARACTERISTICS</b></p> <ul style="list-style-type: none"> <li>Two Prongs with two legs of U shaped body with same dimensions Yes</li> <li>Stem is the bar attached to the U bend at the bottom that forms the integral part of the body Yes</li> <li>The stem shall be strong and capable of being easily and firmly held by hand for use Yes</li> <li>Tuning fork shall have smooth surface Yes</li> <li>Vibrates sinusoidally to generate pure tone: Yes</li> <li>Material (Non-corrosive and Non-magnetic)Electroplated Steel</li> <li>Shape of the prong i e leg of U shaped body Round</li> <li>Prong (leg), (round shaped)</li> <li>Foot piece available Yes</li> <li>Frequency (Hz)128</li> </ul> <p><b>MARKING</b></p> <ul style="list-style-type: none"> <li>Each tuning fork shall be marked at a suitable place with the following: a) Manufacturer's name and trade-mark, b) Frequency, and c) Serial number and code number or year of manufacture Yes</li> </ul> <p><b>CERTIFICATIONS &amp; REPORTS</b></p> <ul style="list-style-type: none"> <li>Vibrates sinusoidally to generate pure tone Yes</li> </ul> <p><b>WARRANTY</b></p> <ul style="list-style-type: none"> <li>Warranty (Yrs)1</li> <li>Replaceable Guarantee in Case of Breakage: Yes</li> </ul>	3 pc
6.	<b>Tongue Depressor Wooden</b>	<ul style="list-style-type: none"> <li>Non-Sterile Standard Wooden Tongue Depressor 100 Piece General Sales Package 100 pc B</li> <li>Color Brown</li> <li>Dimensions Width 9 cm Height 4 cm Depth 16 cm</li> <li>Weight 250 g</li> </ul>	<b>2 sets</b>  (Each set having 100 pieces)
7.	<b>Measuring</b>	<ul style="list-style-type: none"> <li>Soft Tape</li> </ul>	10 pc

*[Signature]*  
12/01/2021



	<b>Tape</b>	<ul style="list-style-type: none"> <li>Length 1.5 m</li> <li>Fiber Material</li> <li>Colour: Yellow/ Blue</li> </ul>	
8	<b>Direct Ophthalmoscope</b>	<ul style="list-style-type: none"> <li>High-quality optics provides sharp, clear images</li> <li>Corrective lenses: Range of 18 lenses from -20D to +20D</li> <li>XHL or LEDHQ illumination for a brilliant image and accurate colour rendering mini 3000 apertures</li> <li>Fixation star, large spot, small spot, hemisplot, red-free filter</li> <li>Attachment clip with integrated on/off switch. Switches off automatically when returned to the pocket. 20,000 ON/OFF switch cycles guaranteed.</li> <li>One-hand operation of the instrument for more flexibility during examinations</li> <li>Two power supply options: replaceable AA batteries or rechargeable option in combination with the mini NT table charge</li> </ul>	1 pc
9.	<b>Semmes Weinstein Monofilament 10g</b>	<ul style="list-style-type: none"> <li>Monofilament (10 gms/5.07)</li> <li>Available in a pack of 20 Monofilaments</li> <li>Multiple use.</li> </ul>	24 pkt
10.	<b>BP Machine Cuff</b>	<ul style="list-style-type: none"> <li>Adult Large size appropriate, compatible and matching the sphygmomanometer which is indented</li> <li>Size of Cuff -16 x 36 cm ( width x length)</li> <li>For Arm Circumference in patient : 35- 44 cm</li> </ul>	5 pc
11.	<b>Adult Laryngoscope with blade with battery</b>	<p><b>GENERAL</b></p> <ul style="list-style-type: none"> <li>Type of Laryngoscope, Standard Laryngoscope</li> <li>Intubating Laryngoscope is to be supplied in Leather / hard case preferably HIP (High Impact Plastic) with internal soft cushion material for easy portability and protection, Yes</li> <li>Utility, Adult</li> <li>Clinical purpose, To view the vocal cords and glottis and to facilitate tracheal intubation</li> <li>Shape of Blade, Curved</li> <li>Size of Blades: 4,3,2,1</li> <li>Number of blades included, 4</li> <li>Finish of Blades, Mat Finish</li> <li>Number of Handles included, 1</li> <li>Type of Handle, Standard (Adults)</li> <li>Handle with Universal Adapter for Interchangeable blades, Yes</li> <li>The manufacturer shall provide instructions for cleaning and disinfecting /sterilization of the blades, handles and any removable components, Yes</li> <li>Disposable, No</li> <li>Sterilization/Disinfectant, Yes</li> <li>Method of sterilization, NA</li> </ul> <p><b>CONSTRUCTION</b></p> <ul style="list-style-type: none"> <li>Light Source, LED bulb</li> <li>Fitting of light source, Bulb on the blade (Electric current is carried from handle to the bulb on blade)</li> <li>Material of handle of Laryngoscope, Stainless Steel Medical grade</li> <li>Provision for locking or unlocking the blade, Yes</li> </ul>	3 set

*[Signature]*  
12/01/2021



		<ul style="list-style-type: none"> <li>Type of Handles, Hook-on fitting</li> <li>The total clearance between the width of the handle hook-on fitting and the width of the blade hook-on fitting shall not exceed zero decimal three mm, Yes</li> </ul> <p><b>FUNCTIONAL FEATURES</b></p> <ul style="list-style-type: none"> <li>Blade shall be engaged and retained on the handle when handle is held in any position, Yes</li> <li>Blade hook-on fittings shall engage the handle hook-on fittings, Yes</li> <li>The lamp shall light when the blade is placed into the operating position, Yes</li> <li>Facility to disengage the blade, Yes</li> </ul> <p><b>STANDARD</b></p> <ul style="list-style-type: none"> <li>Conformity to Standard, BIS</li> <li>Product is ISI Marked, No</li> <li>CM/L No (If Product is ISI Marked), 0</li> <li>Blades size is as per IS:4113-2003(latest), No</li> </ul> <p><b>CERTIFICATION</b></p> <ul style="list-style-type: none"> <li>Submission of Test Report form Central Govt/NABL/ILAC accredited Lab as a proof of conformity to declared specification at the time of supply, Yes</li> <li>Certification Available, ISO</li> <li>Submission of all the Certificates/Test Reports to the Buyer along with Supplies, Yes</li> </ul> <p><b>WARRANTY</b></p> <ul style="list-style-type: none"> <li>Warranty (Yrs), 3</li> </ul>	
12	Adult Ambu bag and Mask	<p><b>GENERAL</b></p> <ul style="list-style-type: none"> <li>Type, Self filling with air with addition of Oxygen</li> <li>Usage, Adult</li> <li>Utility such as Clinic, Hospital, Ambulance etc, For Hospital Use</li> <li>Size, Large</li> <li>Colour of the bag, Green</li> <li>Transparent, Yes</li> <li>Flexible and durable, Yes</li> <li>Reusable, Yes</li> <li>Autoclavable, Yes</li> <li>Manual resuscitator or self-inflating bag or reservoir bag for positive pressure ventilating, Yes</li> <li>Low resistance Non-breathing expiratory valve available, Yes</li> <li>Type of expiratory valve, Manual</li> <li>Pressure limiting valve available, Yes</li> <li>Type of pressure limiting valve, Yes</li> </ul> <p><b>DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>Maximum bag Volume (ml), 2600 millilitre</li> <li>Length (mm), 250 to 290 millimetre</li> <li>Outer diameter (mm), 120 to 150 millimetre</li> <li>Weight including patient connector (gms), 130 to 500gram</li> </ul> <p><b>MATERIAL</b></p> <ul style="list-style-type: none"> <li>Material (Medical grade, latex-free, non-toxic, non-allergic and antistatic), Silicon rubber</li> </ul> <p><b>FUNCTIONAL</b></p>	3 set



		<ul style="list-style-type: none"> <li>• Application temperature 20 deg C to 50 deg C, Yes</li> <li>• Storage Temperature - 40 deg C to 70 deg C, Yes</li> <li>• Re-breathing bag should have an expiratory resistance of 2 point 2 cms of water, Yes</li> <li>• Re-breathing bag should have an inspiratory resistance of 3 point 3 cms of water, Yes</li> <li>• Re-breathing bag should have controlled flow rates and ventilation and with reduced airway pressure, Yes</li> <li>• Port available in the bag to connect with Oxygen reservoir, Yes</li> <li>• Patient connector available, Yes</li> <li>• Type of patient connector, Standard</li> </ul> <p><b>PACKING</b></p> <ul style="list-style-type: none"> <li>• Packing, Carton box</li> </ul> <p><b>CERTIFICATION</b></p> <ul style="list-style-type: none"> <li>• Submission of Test Report on Form 39 or form Central Govt/NABL/ILAC accredited Lab or Manufacturer's inhouse Test Report to prove the conformity to declared specification at the time of supply, Yes</li> <li>• Certification Available, CE</li> <li>• Submission of all the certifications to the buyer along with supplies on demand, Yes</li> </ul>	
13	Adult Intubation Stylet	<p><b>GENERAL</b></p> <ul style="list-style-type: none"> <li>• Type, Aluminium stylet</li> <li>• Purpose, To secure rigidity of a soft catheter or cannula or to maintain patency of a hollow needle and also for proper placement of endotracheal tubes.</li> <li>• User age, Adult</li> <li>• Application, Flexible metallic rod inserted in lumen of flexible catheter to stiffen and give it form during its passage and also for use inside an endotracheal tube to give it a certain shape which aids in navigation of the tube towards the laryngeal inlet.</li> <li>• Light-guided stylet for oral and nasal intubation, No</li> <li>• Safety and uni-directional adjustable end cap to prevent from advancing during intubation, Yes</li> <li>• Stylet contains malleable wire encased in a specially designed PVC sheath which allows smooth insertion, Yes</li> <li>• Radiopaque, Yes</li> <li>• Coude tip (facilitates insertion in adults), Yes</li> <li>• Handle for better grip, No</li> <li>• Single use, Yes</li> <li>• Sterile, No</li> <li>• Method of sterilization, NA</li> <li>• Autoclavable, No</li> </ul> <p><b>DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• Stylet size (Fr), 14</li> <li>• Airway size (mm), 6 millimeter</li> <li>• Inner diameter (mm), 4 to 5 millimeter</li> <li>• Length (Cm), 40 centimeter</li> <li>• Suitable ET tube Size (mm), 4 millimeter</li> <li>• Suitable ET Tube Length(Cm), 32 centimeter</li> </ul>	3 pc

*Signature*  
12/01/2021



		<ul style="list-style-type: none"> <li>• Weight of Stylet (gms), 12 to 20 gram</li> <li>• Standard Product Conformity to standard, EU-CEISI Marked, No</li> </ul> <p>CM/L Number (if product is ISI marked)</p> <p><b>PACKING</b></p> <ul style="list-style-type: none"> <li>• Packing, Individual blister pack</li> </ul> <p><b>CERTIFICATIONS &amp; REPORTS</b></p> <ul style="list-style-type: none"> <li>• Submission of Test Report from Central Government/NABL/ILAC accredited Lab or Manufacture's inhouse Test Report to prove the conformity to declared specification at the time of supply, Yes</li> <li>• Certification Available, EU-CE</li> <li>• Submission of all the certifications to the buyer along with supplies on demand, Yes</li> </ul>	
14	<b>Adult Intubation Bougie</b>	<p><b>MATERIAL</b></p> <ul style="list-style-type: none"> <li>• Material of Tube (Non-toxic, Medical Grade), medical grade</li> </ul> <p><b>DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• Diameter (FG), 5</li> <li>• Minimum length (mm), 700</li> </ul>	3 pc
15	<b>Endotracheal Tubes - Cuffed</b>	<p>Material: PVC radiomarker</p> <p>Sizes: 8.5, 8, 7.5, 7</p>	5 of each size
16	<b>Suction Catheter</b>	<p>Material: PVC</p> <p>Sizes :14 G, 16 G</p>	5 of each size
17	<b>Oropharyngeal Airway</b>	<p>Material: PVC</p> <p>Sizes: 3,4,5</p>	5 of each size
18	<b>Nasopharyngeal Airway</b>	<p>Material: PVC</p> <p>Sizes: 3,4, 5</p>	5 of each size

*[Signature]*  
12/10/2021



Reference no:

Date:

**[Letter head of firm]****PRICE BID FORM**

To,  
Assistant Procurement Officer,  
AIIMS, Deoghar.  
Dear Sir,

I/We ..... am/are submitting the quotation for reference  
"QUOTATION FOR INSTRUMENTS AND ITEMS FOR GENERAL MEDICINE OPD  
AT AIIMS DEOGHAR REFERENCE NO.: **Reference no:** AIIMS/Deoghar/Gen.  
Medicine OPD/ Instruments & Items/2021-22/09 **DUE ON 20.01.2021 AT 04.00 PM**"  
for General Medicine OPD at AIIMS Deoghar.

1. I/We have thoroughly examined, understood and accepted terms & conditions given in the enquiry document, failing which my quotation will be rejected out rightly.
2. I/We hereby offer to supply at the following rates:

S. no.	Name of Item with specification	Qty	Quoted make	Unit price	GST	Total cost
1						
2						
		Total cost/ amount				
Total cost/amount (in words)						

Note:-

- The bidder must quoted their quotation only in above said format on the letter of firm otherwise quotation will be REJECTED.
- Catalog must be attached with quotation for technical evaluation.

Date:

(Name):

Place :

Name of Firm/Company/Agency:

GSTIN No.:

Phone No:

Email:

(Signature of Authorized Person)

Seal: \_\_\_\_\_

*Khushbu Rana*  
*12/01/2021*